

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addease COMMISSIONER FOR PATENTS PO Box 1430 Alexandria, Virginia 22313-1450 www.webjo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/542,932	07/21/2005	Sadanobu Shirai	2005-1129A	9214	
513 7599			EXAM	EXAMINER	
			MERCIER, MELISSA S		
			ART UNIT	PAPER NUMBER	
			1615		
			MAIL DATE	DELIVERY MODE	
			04/20/2009	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

# Application No. Applicant(s) 10/542.932 SHIRAI, SADANOBU Office Action Summary Art Unit Examiner MELISSA S. MERCIER 1615 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS. WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status 1) Responsive to communication(s) filed on 19 January 2009. 2a) This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims 4) Claim(s) 1-3.5-8.10-12.16-20 and 22-24 is/are pending in the application. 4a) Of the above claim(s) 3.7.10.12.17.18.20 and 24 is/are withdrawn from consideration. 5) Claim(s) \_\_\_\_\_ is/are allowed. 6) Claim(s) 1-2,5-6,8,11,16,19,22-23 is/are rejected. 7) Claim(s) \_\_\_\_\_ is/are objected to. 8) Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement. Application Papers 9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are; a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abevance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some \* c) None of: Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). \* See the attached detailed Office action for a list of the certified copies not received. Attachment(s)

1) Notice of References Cited (PTO-892)

Notice of Draftsperson's Patent Drawing Review (PTO-948)

Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date

Interview Summary (PTO-413)
Paper No(s)/Mail Date.

6) Other:

5) Notice of Informal Patent Application

Application/Control Number: 10/542,932 Page 2

Art Unit: 1615

#### DETAILED ACTION

#### Summary

Reciept of Applicants Remarks and Amended Claims filed on January 12, 2009 is acknowledged. Claims 1-3, 5-8, 10-12, 16-20, 22-24 remain pending in this application. Claims 3, 7, 10, 12, 17-18, 20, and 24 remain withdrawn as reading on non elected species. Claims 1-2, 5-6, 8, 11, 16, 19, and 22-23 remain under prosecution in this application.

### Withdrawn Rejections

#### Claim Rejections - 35 USC § 112

The rejection of claims 1-2, 4-6, 8-9, 11, 13-16, 19, 21-23 under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention has been withdrawn in view of Applicants clarification of a cataplasm as a generally pasty preparation containing a mixture of a drug substance and water or those prepared by spreading the mixture on cloth, which are intended for external use. This definition, as supplied by Applicant appears to be substantially identical to the one supplied by the Examiner in the last office action, dated August 13, 2008.

#### Claim Rejections - 35 USC § 103

The rejection of claims 1-2, 4-6, 8-9, 11, 13-16, 19, and 21-23 under 35 U.S.C. 103(a) as being unpatentable over Mooney et al. (US Patent 5,814,031) in view of

Application/Control Number: 10/542,932

Art Unit: 1615

Misumi et al. (US Patent 6,224,899) has been withdrawn in view of Applicants amendment to the claims to limit the amount of water present to 25-60%, whereas Misumi explicitly discloses 75-95% by weight.

## Newly Applied Rejections

#### Claim Rejections - 35 USC § 103

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claims 1-2, 5-6, 8, 11, 16, 19, and 22-23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mooney et al. (US Patent 5,814,031) in view of Muta et al. (US Patent 6,432,431).

Mooney discloses a structured occlusive dressing. The dressing can be applied directly to a wound, or may be coated directly onto a film or fiber substrate which is, in turn applied to the wound and surrounding skin (column 2, lines 16-36).

The films may be composed of one or more polymers including polyethylene (column 6, lines 22-29), which is a soft plastic resin and the specific resin of claims 6, and 14-16.

The dressings may also be coated onto a fiber substrate which, in turn, is adhesively or otherwise attached to a film substrate. As discussed previously, the claims are drawn to a product prepared by a particular process; patentability is based on the final product. Applicant is invited to present evidence as to the criticality of the heat fusing means of attachment if it results in a different product being formed.

Mooney discloses fiber substrates including fabrics that are knitted such as modified entangled fiber composed of rayon polyesters, such as 90:10 polypropylenerayon blends (column 6, lines 30-41), which is the particular combination disclosed in instant claims 6 and 14-16.

Mooney additionally discloses generic teachings of adhesive surfaces applied to the film (Example 1).

Mooney does not disclose the particular adhesive composition of instant claims, which is:

- a. water
- b. a moisture retaining agent
- c. polyacrylic acid and/or its salts
- d. a cellulose derivative
- e. a slight soluble polyvalent metal salt
- f. a pH controlling agent
- Muta discloses cataplasms comprising a base of the gel patch containing:
- a. 20-70 % by weight water (column 4, lines 60-62),
- b. A moisturizer such as glycerin or propylene glycol can also be added in the amount of 10-60% by weight (column 5, lines 9-16).
- c and d (in combination). water soluble polymers including carboxymethylcellulose sodium, hydroxypropyl cellulose, and polyacrylic acid, which are cross linked with an organic or inorganic crosslinking agent. The polymers may be used

Application/Control Number: 10/542,932

Art Unit: 1615

alone or in combination and are present in the amount of 0.1-30% by weight (column 4, line 63 through columns 5, line 8).

e. the cross linking agents include polyvalent metal compounds such as aluminum hydroxide and dihydroxyaluminium aminoacetate in the amount of 0.0—5% by weight (column 5, lines 22-34).

f. additives, including pH adjusters (column 5, lines 16-19 and 38-40).

Muta does not disclose the amount of pH adjuster employed or the final pH of the gel base, however, Applicant is reminded that where the general conditions of the claims are met, burden is shifted to applicant to provide a patentable distinction. Where the general conditions of a claim are disclosed in the prior art, it is not inventive to discover the optimum or workable ranges by routine experimentation. See In re Aller, 220 F.2d 454 105 USPQ 233,235 (CCPA 1955).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have used the adhesive composition of Muta with the dressing of Mooney since each of the references teach that patches would comprise adhesive layers, for application of compositions to the skin, it would have been obvious to combine these adhesives with the expectation that such a combination would have the desired effectiveness, such as an adhesive composition has an adhesive strength stable over time and exhibits neither bleeding due to phase separation in the base not so called stickiness due to the decrease of the adhesive force of the base.

Applicants attention is drawn to MPEP 2113, regarding Product by Process claims; which recites: "[Elven though product-by-process claims are limited by and

Application/Control Number: 10/542,932

Art Unit: 1615

defined by the process; determination of patentability is based on the product itself. The patentability of a product does not depend on its method of production. If the product in the product-by-process claim is the same as or obvious from a product of the prior art, the claim is unpatentable even though the prior product was made by a different process." *In re Thorpe*, 777 F.2d 695, 698, 227 USPQ 964, 966 (Fed. Cir. 1985)

### Response to Arguments

Applicant's arguments have been considered but are moot in view of the new ground(s) of rejection.

#### Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Art Unit: 1615

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MELISSA S. MERCIER whose telephone number is (571)272-9039. The examiner can normally be reached on 8:00am-4:30pm Mon through Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Woodward can be reached on (571) 272-8373. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Melissa S Mercier/ Examiner, Art Unit 1615 /MP WOODWARD/ Supervisory Patent Examiner, Art Unit 1615